

INDEX DES MOTS-CLES

- Acromyrmex*, 181
 Alarme, 135
 Alternance différée, 113
 Amines biogènes, 127
Anitermes laurensis, 181
Anochetus sp., 65
Anoplolepis gracilipes, 165
Anoplotermes cingulatus, 181; *tenebrosus*, 181
Anoplotermes (Speculitermes) ater, 181; *morio*, 181
 Antagonistes cholinergiques, 121
 Apidae, 1, 23, 113, 121
Apis mellifera, 1, 113, 121, 127
 Apprentissage, 23, 37, 45, 97; contextuel, 105; spatial, 113; temporel, 101
Atta, 181; *cephalotes*, 1, 73; *colombica*, 131; *sexdens*, 1, 131
 Auto-organisation, 11
Azteca lanuginosa, 65
Basiceros manni, 65
 Biologie comparée, 151
Blattella germanica, 11
Bombus, 1; *terrestris*, 23
Brachymyrmex obscurior, 165
Brachyponera lutea, 181
 Brésil, 33
 Butinage, 23
Camponotus, 181; *fellah*, 127; *pennsylvanicus*, 73
Camponotus (Myrmobrachys) senex, 171
Cardiocondyla emeryi, 165
Cataglyphis cursor, 97, 101, 105
Cecropia, 171
 Cerveau, 121
 Chasse en embuscade, 65
 Coccinelle, 171
 Coleoptera, 171
 Communication, 135
 Complexe de nidification, 181
 Comportement agonistique, 33; dépôt de piste, 73; invitation, 73; prédation, 65; suivi de piste, 135; sexuel, 143
 Conditionnement pavlovien, 121
 Conservation des milieux, 165
 Coordination, 87
Coptotermes, 181
 Coûts et bénéfiques, 1
Cryptotermes havilandi, 159; *intermedius*, 159; *truncatus*, 159
 Cycle reproducteur, 139, 151
 Cytochrome oxydase, 121
Daceton armigerum, 1
 Délais d'attente, 1
 Densité de population, 11, 53

- Déplacements, 87
 Diffusion, 87
 Discrimination des formes, 105; individuelle, 45
 Disponibilité alimentaire, 101
 Distribution des sources alimentaires, 87; spatiale, 151
Diversitermes, 181
 Division des tâches, 1; du travail, 19, 23
Dolichoderinae, 171
Dolichoderus, 61; *attelaboides*, *bidens*, 171
 Echanges alimentaires, 1, 61, 73, 127
Eciton, 61
Ectatomma ruidum, 1, 19, 53, 65, 101; *tuberculatum*, 33, 65, 131
 Effet attractif, 19; de la distance, 79; synergique, 135
Epitritus hexamerus, 65
 Ergonomie sociale, 1
 Espèce paléarctique, 101; "vagabondes", 165
 Etat nutritionnel, 73, 87
Eucalyptus, 181
 Exploitation des ressources, 101
 Exploration, 87
 Fermeture des sociétés, 33; du groupe, 11
Ficus sp., 171
 Flexibilité comportementale, 65
 Fondations, 45, 131
Formica, 181; *cinerea*, 101; *exsecta*, 101; *fusca*, 61, 101, 181; *gagates*, 61; *integra*, 181; *pratensis*, 101; *rubescens*, 101; *rufa*, 101, 181; *rufibarbis*, 61, 101; *sanguinea*, 101; *schaufussi*, 101; *selysi*, 61
 Formicidae, 1, 19, 33, 53, 61, 65, 73, 79, 87, 93, 97, 101, 105, 127, 131, 135, 139, 165, 171, 181
 Fourmis esclavagistes, 61; moissonneuses, 87, 135
 Fourrageage, 1, 53, 79, 87
 France, 151
 Glande(s) abdominale, 135; (de) Dufour, 93, 135; métapleurales, 93; pygidiale, 61; sternale postérieure, 143; tergaes, 143; (à) venin, 135
Gnamptogenys costata, 139; *menadensis*, 139
 Grégarisme, 11
 Guyane Française, 171
Halictidae, 65
Harpagoxenus americanus, 61
Harpegnathos venator, 65
Heterotermes, 181; *philippinensis*, 159
 Histochimie, 121
Hodotermes mossambicus, 1, 143
 Hymenoptera, 1, 19, 23, 33, 53, 61, 65, 73, 79, 87, 93, 97, 101, 105, 113, 121, 127, 131, 135, 139, 165, 171, 181
 Hyperaspinae, 171
 Hypericaceae, 171
Hypoclinea bidens, 171
Hypoponera sp., 131
 Histophysiologie, 139
 Ile de La Réunion, 159
 Impact de prédation, 65
 Importance économique, 159
 Indicateurs biologiques, 165
 Information, 1, 11

- Interactions sociales, 61
Invasitermes inermis, 181
Iridomyrmex, 61, 165, 181; *calvus*, 165; *detectus*, 181; *glaber*, 181; *sanguineus*, 181
 Isolement reproducteur, 143; social, 127
 Isoptera, 143, 151, 159, 181
 Jeûne, 73
 Kalotermitidae, 159
Labidogenys sp., 65
 Labyrinthe, 105
Lasioglossum umbripenne, 65
Lasius, 181; *claviger*, 181; *fuliginosus*, 1, 101; *myops*, 181; *niger*, 73, 79, 101, 131, 181
Leptothorax acervorum, 101; *nylanderi*, 101
Licania alba, 171
Linepithema humile, 87, 131
 Localisation du nid, 97; de la source de nourriture, 97
Macrotermes annandalei, 143; *barneyi*, 143
 Macrotermitinae, 143
Manica rubida, 131
 Marquage d'aire de forragement, 87, 93; de l'entrée du nid, 93
Megaponera foetens, 1
 Mémoire de référence, 113
Messor, 1; *barbarus*, 135; *capitatus*, 135; *ebeninus*, 135; *sancta*, 87; *structor*, 135
 Méthodologie, 97
 Mexique, 33, 53
Microcerotermes subtilis, 159
 Microgynes, 53
 Modèle de "l'instantané photographique", 97
 Modélisation, 1, 11, 19, 23
Monacis, 181
Monomorium sp. 165; *floricola*, 165
 Morphologie, 151
 Mutualisme, 181
Myrmecia, 181; *varians*, 65
 Myrmécophilie, 171, 181
Myrmica rubra, 139; *sabuleti*, 79; *scabrinodis*, 79, 101
Myrmoteras sp., 65
Nasutitermes, 181; *corniger*, 181; *voeltzkowi*, 159
 Navigation, 105
 Néoténiques, 151
Neotermes reunionensis, 159
 Néotropiques, 53, 65
Nomamyrmex, 181
 Nombre de proies, 19
 Nouvelle-Calédonie, 165
 Octopamine, 127
Octostruma sp., 65
Odontomachus, 65; *simillimus*, 165
Oecophylla longinoda, 1
 Olfaction, 37
Oligomyrmex sodalis, 165
 Oophagie, 37
 Optimisation, 23, 65
Orectognathus sp., 65
 Organe(s) neurohémaux, 139; médian abdominal, 139; périsympathiques, 139
 Ouvrières, 139

- Pachycondyla caffraria*, 19
 Panama, 65
Paraponera clavata, 79, 101
 Parasitisme, 181
Paratrechina braueri, 181; *foreli foreli*, 165; *foreli nigriventris*, 165; *longicornis*, 165; *vaga*, 165
Passiflora coccinea, 171
 Passifloraceae, 171
Pentastruma sp., 65
 Performance individuelle, 1, 23
Pheidole sp., 165; *luteipes*, 165; *pallidula*, 79
 Pheromone de piste, 143; sexuelle, 143
 Physiologie ovarienne, 53
 Piste d'exploration, 87
Plagiolepis alluaudi, 165
Pogonomyrmex, 1, 135; *occidentalis*, 79
Polistes dominulus, 37, 45
Polybia occidentalis, 1
Polyergus rufescens, 1, 61
 Polyéthisme, 1, 19
 Polygynie, 33, 37, 53
Polyrachis guerini, 165
 Ponerinae, 19, 33, 53, 65, 139
Postelectrotermes howa, 159
 Prédation, 19, 65
 Prise de décision, 23; collective, 79
Procryptocerus, 61
Prorhinotermes canalifrons, 159
Protalaris sp., 65
Protopolybia emortualis, 171
Pseudacanthotermes spiniger, 143
Quadristruma emmae, 165
 Reconnaissance coloniale, 33; individuelle, 45; (de l') oeuf, 37; sociale, 45; (de la) souche, 11
 Recrutement, 1, 93; alimentaire, 73, 79, 135
 Régulation sociale, 87
 Reines, 139
 Relation de dominance, 37, 45; topologiques, 97
 Repères terrestres, 97; visuels, 97, 101, 105
 Représentation spatiale, 97
 Reproduction, 37, 53
Reticulitermes, 181; *flavipes*, 143, 181; *lucifugus*, 151, 181; *lucifugus grassei*, 151; *lucifugus banyulensis*, 151; *lucifugus corsicus*, 151; *lucifugus lucifugus*, 151; *santonensis*, 143, 151
 Rétinotopie, 97
 Rhinotermitidae, 151, 159
 Rosaceae, 171
 Rythme d'activité, 23
 Séquence comportementale, 65; visuelle, 105
Serrastruma sp., 65; *lujae*, 65
Serviformica, 61
 Seuil de réponse, 19
Smithistruma sp., 65
 Soldats, 151
Solenopsis, 181; *geminata*, 79, 165, 181; *invicta*, 131; *laeviceps*, 181; *molesta*, 181

- Spécialisation, 19, 23, 53
Spermathèque, 131
Spermatozoïdes, 131
Stigmatocros spp., 181
Stratégie alternative de reproduction, 53; individuelle de chasse, 65
Structure des populations, 33; sociale, 33, 45, 53
Strumigenys sp., 65
Succession des tâches, 1, 19
Symbioses, 181
Tapinoma sp., 61, 165, 181; *melanocephalum*, 165; *minutum*, 181; *sessile*, 181
Technique HPLC, 127
Termes frontalis, 181
Termites champignonnistes, 143
Termitidae, 143, 159
Territoire, 93
Tetramorium caespitum, 93, 101; *impurum*, 93; *simillimum*, 165, 181
Thalassa (Monoscelis) saginata, 171
Transfert, 1, 181; direct, 1; indirect, 1
Trinervitermes, 181; *bettonianus*, 143
Trophallaxie, 1, 61, 73, 127; proctodéale, 61
Tumulitermes, 181; *peracutus*, 181
Velocitermes, 181
Vésicules séminales, 131
Vespidae, 1, 37, 45
Vespula, 1
Viet-Nam, 143
Vismia sessilifolia, 171
Wasmannia auropunctata, 165
Zacryptocerus, 61
Zingiberaceae, 171

KEY WORDS INDEX

- Acromyrmex*, 181
 Activity rhythm, 23
 Aggregation, 11
 Alarm, 135
 Alternative reproductive strategy, 53
 Ambush hunting, 65
Amitermes laurensis, 181
Anochetus sp., 65
Anoplolepis gracilipes, 165
Anoplotermes (Speculitermes) ater, 181; *morio*, 181
Anoplotermes cingulatus, 181; *tenebrosus*, 181
 Apidae, 1, 23, 113, 121
Apis mellifera, 1, 113, 121, 127
Atta, 181; *cephalotes*, 1, 73; *colombica*, 131; *sexdens*, 1, 131
 Auto-organization, 11
Azteca lanuginosa, 65
Basicros manni, 65
 Behavior: agonistic, 33; invitation, 73; predatory, 65; sexual, 143; trail-following, 135;
 trail-laying, 73
 Behavioral flexibility, 65; sequence, 65
 Biogenic amines, 127
 Bioindicators, 165
Blatella germanica, 11
Bombus, 1; *terrestris*, 23
Brachymyrmex obscurior, 165
Brachyponera lutea, 181
 Brain, 121
 Brazil, 33
Camponotus (Myrmobrachys) senex, 171
Camponotus, 181; *fellah*, 127; *pennsylvanicus*, 73
Cardiocondyla emeryi, 165
Cataglyphis cursor, 97, 101, 105
Cecropia, 171
 Cholinergic antagonists, 121
 Closure: group, 11; society, 33
 Co-ordination, 87
 Coleoptera, 171
 Communication, 135
 Comparative biology, 151
Coptotermes, 181
 Costs and benefits, 1
Cryptotermes havilandi, 159; *intermedius*, 159; *truncatus*, 159
 Cytochrome oxidase, 121
Daceton armigerum, 1
 Decision making, 23; collective, 79
 Delayed alternation task, 113
 Diffusion, 87
 Discrimination: individual, 45; shape, 105
 Displacements, 87

- Distance, 79; synergetic effect, 135
 Distribution: food sources, 87; spatial, 151
Diversitermes, 181
 Division of labor, 19, 23
 Dolichoderinae, 171
Dolichoderus, 61; *attelaboides*, *bidens*, 171
 Dominance relationships, 37, 45
Eciton, 61
 Economical importance, 159
Ectatomma ruidum, 1, 19, 53, 65, 101; *tuberculatum*, 33, 65, 131
Epitritus hexamerus, 65
 Ergonomics, 1
Eucalyptus, 181
 Exploration, 87
 Exploratory trails, 87
Ficus sp., 171
 Foundations, 45, 131
 Food availability, 101
 Food exchange, 1, 61, 73, 127
 Food resources exploitation, 101
 Food starvation, 73, 87
 Foraging, 1, 23, 53, 79, 87
Formica, 181; *cinerea*, 101; *exsecta*, 101; *fusca*, 61, 101, 181; *gagates*, 61; *integra*, 181; *pratensis*, 101; *rubescens*, 101; *rufa*, 101, 181; *rufibarbis*, 61, 101; *sanguinea*, 101; *schaufussi*, 101; *selysi*, 61
 Formicidae, 1, 19, 33, 53, 61, 65, 73, 79, 87, 93, 97, 101, 105, 127, 131, 135, 139, 165, 171, 181
 France, 151
 French Guiana, 171
 Fungus-growing termites, 143
 Gland(s): abdominal, 135; Dufour, 93, 135; metapleural, 93; poison, 135; posterior sternal, 143; pygidial, 61; tergal, 143
Gnamptogenys costata, 139; *menadensis*, 139
 Habitat conservation, 165
 Halictidae, 65
Harpagoxenus americanus, 61
Harpegnathos venator, 65
Heterotermes, 181; *philippinensis*, 159
 Histochemistry, 121
 Histophysiology, 139
Hodotermes mossambicus, 1, 143
 HPLC technique, 127
 Hymenoptera, 1, 19, 23, 33, 53, 61, 65, 73, 79, 87, 93, 97, 101, 105, 113, 121, 127, 131, 135, 139, 165, 171, 181
 Hyperaspinae, 171
 Hypericaceae, 171
Hypoclinea bidens, 171
Hypoponera sp., 131
 Individual hunting strategy, 65
 Individual performance, 1, 23
 Information, 1, 11
 Interindividual attraction, 19
Invasitermes inermis, 181
Iridomyrmex, 61, 165, 181; *calvus*, 165; *detectus*, 181; *glaber*, 181; *sanguineus*, 181
 Isolation: reproductive, 143; social, 127

Isoptera, 143, 151, 159, 181
 Kalotermitidae, 159
Labidogenys sp., 65
 Ladybird, 171
Lasioglossum umbripenne, 65
Lasius, 181; *claviger*, 181; *fuliginosus*, 1, 101; *myops*, 181; *niger*, 73, 79, 101, 131, 181
 Learning, 23, 37, 45, 97; context, 105; spatial, 113; temporal, 101
Leptothorax acervorum, 101; *nylanderi*, 101
Licania alba, 171
Linepithema humile, 87, 131
 Localisation: food site, 97; nest site, 97
Macrotermes annandalei, 143; *barneyi*, 143
 Macrotermitinae, 143
Manica rubida, 131
 Marking: foraging area, 87, 93; nest entrance, 93
 Maze, 105
Megaponera foetens, 1
Messor, 1; *barbarus*, 135; *capitatus*, 135; *ebeninus*, 135; *sancta*, 87; *structor*, 135
 Methodology, 97
 Mexico, 33, 53
Microcerotermes subtilis, 159
 Microgynes, 53
 Modelling, 1, 11, 19, 23
Monacis, 181
Monomorium sp. 165; *floricola*, 165
 Morphology, 151
 Mutualism, 181
Myrmecia, 181; *varians*, 65
 Myrmecophily, 171, 181
Myrmica rubra, 139; *sabuleti*, 79; *scabrinodis*, 79, 101
Myrmoteras sp., 65
Nasutitermes, 181; *corniger*, 181; *voeltzkowi*, 159
 Navigation, 105
 Neotenic, 151
Neotermes reunionensis, 159
 Neotropics, 53, 65
 Nesting sites complexes, 181
 New Caledonia, 165
Nomamyrmex, 181
 Nutritional state, 73, 87
 Octopamine, 127
Octostruma sp., 65
Odontomachus, 65; *simillimus*, 165
Oecophylla longinoda, 1
 Olfaction, 37
Oligomyrmex sodalis, 165
 Oophagy, 37
 Optimization, 23, 65
Orectognathus sp., 65
 Organs: neurohaemal, 139; median abdominal, 139; perisympatic, 139
 Ovarian physiology, 53
Pachycondyla caffraria, 19
 Palearctic species, 101
 Panama, 65

- Paraponera clavata*, 79, 101
 Parasitism, 181
Paratrechina braueri, 181; *foreli foreli*, 165; *foreli nigriventris*, 165; *longicornis*, 165; *vaga*, 165
Passiflora coccinea, 171
 Passifloraceae, 171
 Pavlovian conditioning, 121
Pentastruma sp., 65
Pheidole sp., 165; *luteipes*, 165; *pallidula*, 79
 Pheromone: sexual, 143; trail-following, 143
Plagiolepis alluaudi, 165
Pogonomyrmex, 1, 135; *occidentalis*, 79
Polistes dominulus, 37, 45
Polybia occidentalis, 1
Polyergus rufescens, 1, 61
 Polyethism, 1, 19
 Polygyny, 33, 37, 53
Polyrachis guerini, 165
 Ponerinae, 19, 33, 53, 65, 139
 Population density, 11, 53
Postelectrotermes howa, 159
 Predation, 19, 65
 Predatory impact, 65
 Prey number, 19
Procryptocerus, 61
Prorhinotermes canalifrons, 159
Protalaris sp., 65
Protopolybia emortualis, 171
Pseudacanthotermes spiniger, 143
Quadristruma emmae, 165
 Queens, 139
 Queuing delays, 1
 Recognition: eggs, 37; individual, 45; nestmate, 33; social, 45; strain, 11
 Recruitment, 1, 93; food recruitment, 73, 79, 135
 Reference memory, 113
 Reproduction, 37, 53
 Reproductive cycle, 139, 151
 Response threshold, 19
Reticulitermes, 181; *flavipes*, 143, 181; *lucifugus*, 151, 181; *lucifugus grassei*, 151; *lucifugus banyulensis*, 151; *lucifugus corsicus*, 151; *lucifugus lucifugus*, 151; *santonensis*, 143, 151
 Retinotopy, 97
 Reunion Island, 159
 Rhinotermitidae, 151, 159
 Rosaceae, 171
 Seed-harvesting ants, 87, 135
 Seminal vesicles, 131
Serrastruma sp., 65; *lujae*, 65
Serviformica, 61
 Slave-making ants, 61
Smithistruma sp., 65
 Snapshot model, 97
 Social interactions, 61
 Social regulation, 87
 Soldiers, 151

- Solenopsis*, 181; *geminata*, 79, 165, 181; *invicta*, 131; *laeviceps*, 181; *molesta*, 181
Spatial representation, 97
Specialization, 19, 23, 53
Spermatheca, 131
Spermatozoa, 131
Stigmacros spp., 181
Structure: population, 33; social, 33, 45, 53
Strumigenys sp., 65
Symbiosis, 181
Tapinoma sp., 61, 165, 181; *melanocephalum*, 165; *minutum*, 181; *sessile*, 181
Task partitioning, 1
Tasks succession, 1, 19
Termes frontalis, 181
Termitidae, 143, 159
Territory, 93
Tetramorium caespitum, 93, 101; *impurum*, 93; *simillimum*, 165, 181
Thalassa (Monoscelis) saginata, 171
Topologic relationships, 97
Tramp species, 165
Transfert, 1, 181; direct, 1; indirect, 1
Trinervitermes, 181; *bettonianus*, 143
Trophallaxis, 1, 61, 73, 127; abdominal, 61
Tumulitermes, 181; *peracutus*, 181
Velocitermes, 181
Vespidae, 1, 37, 45
Vespula, 1
Viet-Nam, 143
Vismia sessilifolia, 171
Visual cues, 97, 101, 105
Visual sequence, 105
Wasmannia auropunctata, 165
Workers, 139
Zacryptocerus, 61
Zingiberaceae, 171