

INDEX DES MOTS-CLES

- Acanthotermes ochraceus*, 37
Acrolepiopsis assectella, 155
Acromyrmex, 9
 Actinomycètes, 69
Adaiphrotermes, 9
 ADN, 53
 Aire de fourragement, 29, 133
 Alarme, 117
Allium, 155; sp. 37; *cepa*, 37
Amitermes sp. 69; *evuncifer*, 69, 77; *laurensis*, 9; *meridianus*, 9
Ancistrotermes 9; *cavithorax*, 1; *guineensis*, 45; *periphrasis*, 77
Aneuretus simoni, 9
Anthophora antiope, 9
 Apicotermitinae, 9, 69
 Arthropodes, 9
Astalotermes quietus, 69
 Atta, 9
 Azteca, 95
 Bactéries, 53, 69
 Biochimie, 53
 Biologie, 95
 Biométrie, 143
Blatella germanica, 109
Borassus aethiopum, 61
Brachyponera lutea, 9
Brassica caulorapa, 37; *oleracea* var. *capita*, 37; *rapa*, 37
Bridelia ferruginea, 1
 Cameroun, 53, 61, 69
 Camouflage chimique, 29, 137
Camponotus fellah, 33; *japonicus*, 147; *vagus*, 109
 Cannibalisme, 9
Capsicum spp., 37
 Castes, 45, 137
Cataglyphis, 125; *cursor*, 109; *niger*, 143
Cataulacus guineensis, 9
 Cellulolyse, 69
Centris derasa, 9; *sponsa*, 9; *thoracica*, 9
Cephalotermes rectangularis, 69
Ceratitix capitata, 29
Chalepoxenus millerianus, 125
 Cleptobiose, 29
 Coaction, 147
 Communication, 33, 109, 117, 125, 133, 137, 143
 Compétition 1, 9; intraspécifique, 29, 103
 Comportement, 1, 9, 19, 29, 109, 117, 143, 147, 151, 155; agressif, 143; alimentaire,
 33
 Composés aromatiques, 81
 Composition biochimique, 45
 Congo, 45, 117

- Conomyrma*, 95
Coptotermes formosanus, 69; *lacteus*, 117
 Côte d'Ivoire, 69
Crenetermes albotarsalis, 77
 Croissance végétale, 61
Crossopterix febrifuga, 1
Cubitermes heghei, 69; *speciosus*, 77; *subarquatus*, 53, 61
Cucurbita pepo, 37
 Cultures maraîchères, 37; tropicales, 45
Cussonia barteri, 1
Cyrtostigmacros, 9
Daucus carota, 37
 Dégâts, 37
 Dégradation enzymatique, 77, 81
 Densité de population, 103
Diadromus pulchellus, 155
Diparopsis watersi, 9
 Distance géographique, 143
 Distribution des nids, 103
 Dolichoderinae, 95
Ectatomma ruidum, 19, 29, 103, 147, 151; *tuberculatum*, 19, 103
 Effet de groupe, 33
 Enzymes, 77
Epimyrma ravouxi, 125
Escherichia coli, 53
 Espagne, 125
 Espèce vagabonde, 95
Eustenogaster eximia, 9
 Expérience, 155
 Facilitation sociale, 147
 Flexibilité collective, 19; individuelle, 19
 Fondation, 19, 137
Formica, 125; *cunicularia*, 137; *fusca*, 155; *sanguinea*, 125; *selysi*, 155
 Formicidae, 33, 85, 95, 103, 125, 143, 147, 151, 155
 Formicini, 125
 Fourmis esclavagistes, 125, 137
 Fourragement, 1, 9, 19, 29, 133
Fragaria ananassa, 37
 France, 85
 Gabon, 117
 Glande de Dufour, 133; labiale, 133; métapleurales, 133
 Grégairisme, 109
 Guinée, 1
Harpagoxenus canadensis, 125; *sublaevis*, 125
Heterorhabditis bacteriophora, 45
Hibiscus esculentus, 37; *sabdariffa*, 37
Hospitalitermes, 9
 Humivores, 53
 Hymenoptera, 19, 29, 33, 85, 95, 103, 125, 133, 137, 143, 147, 151, 155
 Interactions interspécifiques, 103; intraspécifiques, 29, 103
Iridomyrmex glaber, 9; *humilis*, 155
 Isolement social, 33
 Isoptera, 1, 9, 37, 45, 53, 61, 69, 77, 81, 117
 Israël, 143
 Italie, 137

- Kaloterme flavicollis*, 9
 Laccases, 77
Laccifer lacca, 9
Lactuca sativa, 37
Lasius, 9
 Lepidoptera, 155
Leptogenys, 19
Leptothorax duloticus, 125
 Lignine, 77
Linepithema, 95
 Lipides, 45
Lithobius tricuspis, 9
Lolium italicum, 61
Lycopersicum esculentum, 37
Macrotermes spp., 37; *bellicosus*, 1, 45, 61, 69, 77, 117; *mülleri*, 77; *renouxi*, 77; *subhyalinus*, 37, 69
 Macrotermitinae, 1, 45, 53, 61, 69, 77, 117
 Marquage, 133
Megaponera foetens, 19
 Mexique, 19, 29, 103, 147
Microcerotermes sp., 37; *arboreus*, 9; *diversus*, 37; *parvulus*, 69; *parvus*, 69
 Microflore symbiotique, 69, 81
Microtermes, 9; spp., 37; *najdensis*, 37; *toumodiensis*, 1
Monacis bispinosa, 9
 Monodomie, 103
Myrmecocystus mimicus, 125
Myrmica laevinodis, 155; *rubra*, 133
Myrmoxenus gordiagini, 125
Nasutitermes camaronensis, 9; *corniger*, 9; *fulleri*, 69; *lujae*, 69, 77; *nigriceps*, 9
 Nasutitermitinae, 69
 Nécrophtagie, 9
 Nématodes entomopathogènes, 45
 Nids, 53, 61
Noditermes sp.77; *lamanianus*, 53
 Nutrition minérale, 61
Odontotermes sp., 1, 53, 69; *nilensis*, 37
Pachycondyla apicalis, 151; *caffraria*, 19; *laevigata*, 19; *marginata*, 19
Paratrechina braueri, 9
 Parenté, 85
 PCR, 53
Phaseolus vulgaris, 37
Pheidole sp., 95; *pallidula*, 85, 133
Photorehabdus, 45
 Phylogénie, 125
Ptilostigma thonningii, 1
Polistes biglunus bimaculatus, 109
Polyergus spp., 125; *rufescens*, 137
 Polyéthisme, 19, 151; d'âge, 151; de caste, 1, 143
 Polygynie, 95
 Polymorphisme, 143
Ponera ragusae, 95
 Ponerinae, 19, 29, 103, 147, 151
 Prédation, 9, 19, 155
 Préférence alimentaire, 1
Procutitermes arburiensis, 77; *niapuensis*, 53

- Profils cuticulaires, 137
Proformica, 125
Protomognathus americanus, 125
Psammotermes sp., 9; *hybostoma*, 37
Pseudacanthotermes militaris, 1, 117; *spiniger*, 45, 77, 81, 117
Ptilothrix plumata, 9
Raphanus sativus, 37
 Ravageurs, 37, 45
 Ray-grass, 61
 Reconnaissance coloniale, 143; d'odeur de souche, 109
 Recrutement, 125
 Régulation sociale, 19, 147, 151
 Rejets, 29
 Ressources alimentaires, 19, 29, 85
Reticulitermes spp., 45; *flavipes*, 9; *grassei*, 109; *lucifigus*, 9; *santonensis*, 9, 77, 109; *speratus*, 9; *virginicus*, 69
Rossomyrmex spp., 125; *minuchae*, 125; *proformicarum*, 125
 Sénégal, 37, 69
 Sex-ratio, 85
 Signature chimique de la reine, 137
 Sociogénèse, 19
 Sociotomie, 19, 151
 Sol, 53, 61
Solanum aethiopicum, 37; *melongena*, 37
Solenopsis, 9
 Spécialisation comportementale, 19, 143; sexuelle, 85
Sphaerotermes sphaerotherax, 69
Steinernema carpocapsae, 45; *kushidai*, 45
 Stratégie de récolte, 1, 19, 29
 Structure de nid, 1; génétique, 85
 Suisse, 95
 Symbiose digestive, 81
 Taille des colonies, 19
Tapinoma melanocephalum, 95; *minutum*, 9; *sessile*, 95
 Tchad, 45, 69
Tenebrio, 143; *molitor*, 9
Termes hospes, 69; *panamaensis*, 9
 Termites champignonnistes, 1, 45, 53, 77, 117
 Termitidae, 9, 45
 Termitières, 53
 Termitinae, 61, 69
Termitomyces, 1, 53, 61; *eurhizus*, 81
 Territorialité, 29, 103, 133
Thoracotermes macrothorax, 53, 77
 Transport de cocons, 147
Trinervitermes bettonianus, 9; *geminatus*, 69; *rhodesiensis*, 77; *togoensis*, 69; *trinervius*, 69
 Trophallaxie, 33
 Tube digestif, 69
Tumulitermes pastinator, 9
Velocitermes, 9
 Vibrations, 117
Wasmannia auropunctata, 95
Xenorhabdus, 45
Zootermopsis angusticollis, 117; *nevadensis*, 117

KEY WORDS INDEX

- Acanthotermes ochraceus*, 37
Acrolepiopsis assectella, 155
Acromyrmex, 9
 Actinomycetes, 69
Adaiphrotermes, 9
 Aggregation, 109
 Alarm, 117
Allium, 155; sp. 37; *cepa*, 37
Amitermes sp. 69; *evuncifer*, 69, 77; *laurensis*, 9; *meridianus*, 9
Ancistrotermes 9; *cavithorax*, 1; *guineensis*, 45; *periphrasis*, 77
Aneuretus simoni, 9
Anthophora antiope, 9
 Apicomermatinae, 9, 69
 Aromatic compounds, 81
 Arthropods, 9
Astalotermes quietus, 69
Atta, 9
Azteca, 95
 Bacteria, 53, 69
 Behavior, 1, 9, 19, 29, 109, 117, 143, 147, 151, 155; aggressive behavior, 143; feeding behavior, 33
 Behavioral flexibility: collective, 19; individual, 19
 Biochemical composition, 45
 Biochemistry, 53
 Biology, 95
 Biometry, 143
Blatella germanica, 109
Borassus aethiopum, 61
Brachyponera lutea, 9
Brassica caulorapa, 37; *oleracea* var. *capita*, 37; *rapa*, 37
Bridelia ferruginea, 1
 Cameroon, 53, 61, 69
Camponotus fellah, 33; *japonicus*, 147; *vagus*, 109
 Cannibalism, 9
Capsicum spp., 37
 Castes, 45, 137
Cataglyphis, 125; *cursor*, 109; *niger*, 143
Cataulacus guineensis, 9
 Cellulolysis, 69
Centris derasa, 9; *sponsa*, 9; *thoracica*, 9
Cephalotermes rectangularis, 69
Ceratitidis capitata, 29
Chalepoxenus müllerianus, 125
 Chemical camouflage, 29, 137
 Cleptobiosis, 29
 Coaction, 147
 Cocoons transport, 147
 Colony foundation, 19, 137
 Colony size, 19

- Communication, 33, 109, 117, 125, 133, 137, 143
 Competition 1, 9; interspecific, 103; intraspecific, 29, 103
 Congo, 45, 117
Conomyrma, 95
Coptotermes formosanus, 69; *lacteus*, 117
Crenetermes albotarsalis, 77
Crossopterix febrifuga, 1
Cubitermes heghei, 69; *speciosus*, 77; *subarquatus*, 53, 61
Cucurbita pepo, 37
Cussonia barteri, 1
 Cuticular profiles, 137
Cyrtostigma macros, 9
 Damages, 37
Daucus carota, 37
Diadromus pulchellus, 155
 Digestive symbiosis, 81
Diparopsis watersi, 9
 DNA, 53
 Dolichoderinae, 95
Ectatomma ruidum, 19, 29, 103, 147, 151; *tuberculatum*, 19, 103
 Entomopathogenic nematodes, 45
 Enzymatic degradation, 77, 81
 Enzymes, 77
Epimyрма ravouxi, 125
Escherichia coli, 53
Eustenogaster eximia, 9
 Food availability, 19, 29, 85
 Food preferences, 1
 Foraging area, 29, 133
 Foraging strategies, 1, 19, 29
 Foraging, 1, 9, 19, 29, 133
Formica, 125; *cunicularia*, 137; *fusca*, 155; *sanguinea*, 125; *setyisi*, 155
 Formicidae, 33, 85, 95, 103, 125, 143, 147, 151, 155
 Formicini, 125
Fragaria ananassa, 37
 France, 85
 Fungus-growing termites, 1, 45, 53, 77, 117
 Gabon, 117
 Geographic distance, 143
 Glands: Dufour's, 133; labial, 133; metapleural, 133
 Group effect, 33
 Guinea, 1
 Gut, 69
Harpagoxenus canadensis, 125; *sublaevis*, 125
Heterorhabditis bacteriophora, 45
Hibiscus esculentus, 37; *sabdariffa*, 37
Hospitalitermes, 9
 Hymenoptera, 19, 29, 33, 85, 95, 103, 125, 133, 137, 143, 147, 151, 155
 Interactions: interspecific, 103; intraspecific, 29, 103
Iridomyrmex glaber, 9; *humilis*, 155
 Isoptera, 1, 9, 37, 45, 53, 61, 69, 77, 81, 117
 Israel, 143
 Italy, 137
 Ivory Coast, 69
Kaloterms flavicollis, 9

- Laccases, 77
Laccifer lacca, 9
Lactuca sativa, 37
Lasius, 9
 Lepidoptera, 155
Leptogenys, 19
Leptothorax duloticus, 125
 Lignin, 77
Linepithema, 95
 Lipids, 45
Lithobius tricuspis, 9
Lolium italicum, 61
Lycopersicum esculentum, 37
Macrotermes spp., 37; *bellicosus*, 1, 45, 61, 69, 77, 117; *mülleri*, 77; *renouxi*, 77;
 subhyalinus, 37, 69
 Macrotermitinae, 1, 45, 53, 61, 69, 77, 117
 Marking, 133
Megaponera foetens, 19
 Mexico, 19, 29, 103, 147
Microcerotermes sp., 37; *arboreus*, 9; *diversus*, 37; *parvulus*, 69; *parvus*, 69
Microtermes, 9; spp., 37; *najdensis*, 37; *toumodiensis*, 1
 Mineral nutrition, 61
Monacis bispinosa, 9
 Monodomous colonies, 103
Myrmecocystus mimicus, 125
Myrmica laevinodis, 155; *rubra*, 133
Myrmoxenus gordiagini, 125
Nasutitermes carnarvonensis, 9; *corniger*, 9; *fulleri*, 69; *lujae*, 69, 77; *nigriceps*, 9
 Nasutitermitinae, 69
 Necrophagy, 9
 Nest distribution, 103
 Nests, 53, 61
Noditermes sp.77; *lamanianus*, 53
Odontotermes sp., 1, 53, 69; *nilensis*, 37
Pachycondyla apicalis, 151; *caffraria*, 19; *laevigata*, 19; *marginata*, 19
Paratrechina braueri, 9
 PCR, 53
 Pest insects, 37, 45
Phaseolus vulgaris, 37
Pheidole sp., 95; *pallidula*, 85, 133
Photorhabdus, 45
 Phylogeny, 125
Piliostigma thonningii, 1
 Plant growth, 61
Polistes biglumus bimaculatus, 109
Polyergus spp., 125; *rufescens*, 137
 Polyethism, 19, 151; d'âge, 151; de caste, 1, 143
 Polygyny, 95
 Polymorphism, 143
Ponera ragusae, 95
 Ponerinae, 19, 29, 103, 147, 151
 Population density, 103
 Predation, 9, 19, 155
 Previous experience, 155
Procutitermes arburiensis, 77; *niapuensis*, 53

- Proformica*, 125
Protomognathus americanus, 125
Psanmotermes sp., 9; *hybostoma*, 37
Pseudacanthotermes militaris, 1, 117; *spiniger*, 45, 77, 81, 117
Ptilothrix plumata, 9
 Queen chemical signature, 137
Raphanus sativus, 37
 Recognition: nestmate, 143; strain odour, 109
 Recruitment, 125
 Rejections, 29
 Relatedness, 85
Reticulitermes spp., 45; *flavipes*, 9; *grassei*, 109; *lucifigus*, 9; *santonensis*, 9, 77, 109; *speratus*, 9; *virginicus*, 69
Rossomyrmex spp., 125; *minuchae*, 125; *proformicarum*, 125
 Ryegrass, 61
 Senegal, 37, 69
 Sex-ratio, 85
 Slave-making ants, 125, 137
 Social: facilitation, 147; isolation, 33; regulation, 19, 147, 151
 Sociogenesis, 19
 Sociotomy, 19, 151
 Soil, 53, 61
 Soil-feeders, 53
Solanum aethiopicum, 37; *melongena*, 37
Solenopsis, 9
 Spain, 125
 Specialization: behavioral, 19, 143; sexual, 85
Sphaerotermes sphaerothorax, 69
Steinernema carpocapsae, 45; *kushidai*, 45
 Structure: nest, 1; genetic, 85
 Switzerland, 95
 Symbiotic microflora, 69, 81
Tapinoma melanocephalum, 95; *minutum*, 9; *sessile*, 95
 Tchad, 45, 69
Tenebrio, 143; *molitor*, 9
Termes hospes, 69; *panamaensis*, 9
 Termite mounds, 53
 Termitidae, 9, 45
 Termitinae, 61, 69
Termitomyces, 1, 53, 61; *eurhizus*, 81
 Territoriality, 29, 103, 133
Thoracotermes macrothorax, 53, 77
 Tramp-species, 95
Trinervitermes bettonianus, 9; *geminatus*, 69; *rhodesiensis*, 77; *togoensis*, 69; *trinervius*, 69
 Trophallaxis, 33
 Tropical cultures, 45
Tumulitermes pastinator, 9
 Vegetable cultures, 37
Velocitermes, 9
 Vibrations, 117
Wasmannia auropunctata, 95
Xenorhabdus, 45
Zootermopsis angusticollis, 117; *nevadensis*, 117